



Compact Vibrating Screens

SHAKE IT. MAKE IT. TAKE IT.

Process comparatively small volumes of material on-site instead of disposing of it. That is the XAVA idea.





Construction and demolition waste, excavated material, green waste, etc. - there are countless jobs for screening material. Thanks to XAVA, there are also the right machines to do it.

Screens were invented quite a few years ago. XAVA has made it possible for you to screen comparatively low volumes of material to save money and reduce environmental impact.

My team and I develop and build compact, robust vibrating screens for the widest range of tasks. The material can be screened on-site, separated according to specified sizes, directly reused and/or cleanly disposed of. And, it's as easy, convenient and trouble-free as can be. Makes sense, right?

Stefan Lößl Owner & CEO

SHAKE IT. MAKE IT. TAKE IT.

XAVA screens are environmentally friendly: they are powered by gravity and electricity.

Coarse material falls off, fine material falls through. The screen decks mounted at an angle of precisely 18° separate material with the help of gravity and a motor operated by mains electricity or a 3-phase power supply. Quiet, emission-free and without petrol fumes.





Where can you still find machines today that don't need a display screen or WiFi? XAVA's compact vibrating screens are built to do what they're supposed to do without the fancy bells and whistles. They just need to work. Reliable and simple - job done. What it takes is proven design and quality manufacturing.



Clever advantages instead of fancy frills.

Simple handling

Switch on, switch off - that's it.

Flexible

Flexible screening of a wide range of materials. Screen decks are easy to replace.

Clean

Electric drive system. No noise, no emissions, no contamination of the site.

Lightweight

Easy to transport with a standard car trailer and lifting device.

Low maintenance

Changing the screen decks and tightening the bolts at regular intervals is all the attention that these machines need.

Made in Austria

Developed and built in Austria. Featuring high quality components such as original springs from Eibach in Germany and top class motors from Italy.





Built for screening:


Compost Soil Sand C&D waste Humus Brick debris Bark mulch **Stones** Wood chips Gravel Asphalt*











*LS24 and LS28

Does a lot of your work:

Garden & Landscaping, Biomass (wood chips), Construction, Earthworks & Composting

Compact but robust.

Thanks to the robust steel construction of the screen structure, the screened material can be neatly transported away with standard kit such as wheeled loaders, front loaders, minidumpers, etc. The super compact LS12 vibrating screen is even designed so that the screened material falls directly into the wheelbarrow.



190 kg

230 V

1.440 mm

5 minutes

80 cm

0,16 kW, 1.500 RPM

1.180 mm x 1.210 mm 1.040 x 675 mm = 0.7



LS14

| | Scre |
|----|------|
| | Vibr |
| | Con |
| | Heig |
| 1 | Spa |
| m² | Scre |
| | Dec |
| | Max |
| | |

| Screen weight: | 300 kg* |
|--------------------|---------------------------------------|
| Vibrating motor: | 0,4 kW, 1.500 RPM |
| Connection: | 230 V |
| Height: | 1.440 mm |
| Space required: | 1.310 mm x 1.210 mm |
| Screen deck size: | 1.080 x 1.040 mm = 1,1 m ² |
| Deck change time: | 5 minutes |
| Max. bucket width: | 120 cm |

XAVA multi-purpose mobile screens are always on-site when there's work to do.



LS14X

| Screen weight: | 370 kg* |
|--------------------|---------------------------------------|
| Vibrating motor: | 0,4 kW, 1.500 RPM |
| Connection: | 230 V |
| Height: | 1.900 mm |
| Space required: | 1.510 mm x 1.210 mm |
| Screen deck size: | 1.080 x 1.040 mm = 1,1 m ² |
| Deck change time: | 5 minutes |
| Max. bucket width: | 140 cm |



| Screen weight: | 490 kg* |
|--------------------|--|
| Vibrating motor: | 0,62 kW, 1.500 RPM |
| Connection: | 400 V |
| Height: | 1.820 mm |
| Space required: | 1.850 mm x 1.380 mm |
| Screen deck size: | 1.400 x 1.250 mm = 1,75 m ² |
| Deck change time: | 10 minutes |
| Max. bucket width: | 165 cm |

LS12

Screen weight:

Vibrating motor:

Space required:

Screen deck size:

Deck change time:

Max. bucket width:

Connection:

XAVA big screens with extra-wide decks separate up to three fractions in one go.

Both of XAVA's big, compact vibrating screens can separate a wide variety of materials into 3 fractions. Regardless of whether it is material discharged from a crusher, C&D waste, brick debris, topsoil, sand, compost, wood chips, bark mulch, or gravel etc. - everything is reliably separated into 2 or 3 different final material sizes.





LS24

| Screen weight: | 1.400 kg* |
|--------------------|---|
| Vibrating motor: | 1,15 kW, 1.500 RPM |
| Connection: | 380 V, 50 Hz, 16 A with operating hours counter |
| Height: | 2.290 mm |
| Space required: | 2.400 mm x 1.580 mm |
| Screen deck size: | 2 x 2.180 x 1.630 mm = 7,1 m ² |
| Screen upper deck: | 2 units 1.630 x 1.090 mm = 1,78 m ² |
| Screen lower deck: | 2 units 1.630 x 1.090 mm = 1,78 m ² |
| Deck change time: | 20 minutes |
| Max. bucket width: | 220 cm |
| | |

LS28

| Screen weight: | 1.700 kg* |
|--------------------|---|
| Vibrating motor: | 1,15 kW, 1.500 RPM |
| Connection: | 380 V, 50 Hz, 16 A with operating hours counter |
| Height: | 2.541 mm |
| Space required: | 2.800 mm x 1.600 mm |
| Screen deck size: | 2 x 2.560 x 1.630 mm = 8,3 m ² |
| Screen upper deck: | 2 units 1.630 x 1.280 mm = 2,09 m ² |
| Screen lower deck: | 2 units 1.630 x 1.280 mm = 2,09 m ² |
| Deck change time: | 20 minutes |
| Max. bucket width: | 260 cm |
| | |

^{*}incl. lifting device

Even easier ways of working.



Conveyor belts

If the material has to travel a distance from the site to the screen or from the screen to be transported, we recommend deploying our conveyor belts. They are between 2.5 and 6 metres long, and up to 8 units can be joined together.



Feeder grid

Another equipment option for the LS24 and LS28: In contrast to the standard rubber belt version, this metal plate feeder grid doses materials such as wood chips, sand, and gravel etc. even better.



Special orders

XAVA in-house engineering and the modular construction of our compact vibrating screens mean that they can be adapted to meet customer specifications. A higher or enlarged screen substructure is often requested, and this is something we are pleased to provide.

Dust suppression

For dust-free operation in residential areas, we offer all our screens with an optional water spray system.

S-Line

S as in stationary. We can deliver all of our screens optimised for permanent installation or for placement on a concrete plinth.



Often copied, never close to the original.


Our vibrating screens are often a blueprint for our competitors. But to remain a pioneer and the Austrian market leader, we continuously invest in the further development of our original machines.



Guaranteed performance for years. Sustainability at its best.

XAVA's compact vibrating screens are well-engineered, compact and robustly built in our own workshop in Upper Austria.

The screen decks are easy to replace and the mountings can withstand countless hours of operation. That is why we are confident in providing a 2-year warranty on all our screening systems. We don't hear anything from most of our customers during that time. Except good things.





XAVA Recycling e.U.

Wolkersdorf 7 4131 Kirchberg ob der Donau

Contact:

Tel: +43 7282 / 21 103

Mail: office@xava-recycling.at Web: www.xava-recycling.at

Service-Hotline: +43 676 / 603 6588

